L Number	Hits	Search Text	DB	Time stamp
17	26	((push$4 displac$5 mov$5 load$4 forc$4 pressur$4) near4 (rod bar stick billet scepter wand) near6 (transducer sensor)) and ((test$4 monitor$4 meter$4 sens$4 evaluat$4 compar$4 quality check$4 asses$4) near4 (cigarette cigaret tobacco))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 16:53
-	3	6508138.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 10:49
-	6	("4937523" | "5214376" | "5742161" | "5789918" | "5793201" | "5801530").PN.	USPAT	2004/10/27 16:44
-	360	73/818.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 16:47
-	822	73/865.8.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 16:47
-	17765	((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand)) same ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 11:49
-	10634	(((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand)) same ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part)))) and ((measur$4 determin$4 detect$4 sens$4 monitor$4 asses$4 estimat$4 meter$4) near4 (position mov$4 displace$5 point location)) same ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 14:17
-	8332	(((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand)) same ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part)))) and ((measur$4 determin$4 detect$4 sens$4 monitor$4 asses$4 estimat$4 meter$4) near4 (position mov$4 displace$5 point location)) near6 ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 11:48
-	7961	(((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand)) same ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part)))) and ((measur$4 determin$4 detect$4 sens$4 monitor$4 asses$4 estimat$4 meter$4) near4 (position mov$4 displace$5 point location)) near4 ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 11:49
-	3230	((((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand)) same ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part)))) and ((measur$4 determin$4 detect$4 sens$4 monitor$4 asses$4 estimat$4 meter$4) near4 (position mov$4 displace$5 point location)) near4 ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part)))) and ((test$4 monitor$4 meter$4 sens$4 evaluat$4 check$4 asses$4) near4 (rod cylind$5 cigarette cigaret tobacco))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 11:52

C:\APPS\EAST\Workspaces\process and apparatus for checking rod like.wsp

-	1405	((((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand)) same ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part)))) and ((measur$4 determin$4 detect$4 sens$4 monitor$4 asses$4 estimat$4 meter$4) near4 (position mov$4 displace$5 point location)) near4 ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part)))) and ((test$4 monitor$4 meter$4 sens$4 evaluat$4 check$4 asses$4) near4 (rod cylind$5 cigarette cigaret tobacco) near6 ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 12:16
-	1334	((((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand)) same ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part)))) and ((measur$4 determin$4 detect$4 sens$4 monitor$4 asses$4 estimat$4 meter$4) near4 (position mov$4 displace$5 point·location)) near4 ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part)))) and ((test$4 monitor$4 meter$4 sens$4 evaluat$4 check$4 asses$4) near4 (rod cylind$5 cigarette cigaret tobacco) near4 ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 12:17
-	283	((((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand)) same ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part)))) and ((measur$4 determin$4 detect$4 sens$4 monitor$4 asses$4 estimat$4 meter$4) near4 (position mov$4 displace$5 point location)) near4 ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part)))) and ((test$4 monitor$4 meter$4 sens$4 evaluat$4 check$4 asses$4) near4 (rod cylind$5 cigarette cigaret tobacco) near4 ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand))).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 14:12
-	247	((((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand)) near6 ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part)))) and ((measur$4 determin$4 detect$4 sens$4 monitor$4 asses$4 estimat$4 meter$4) near4 (position mov$4 displace$5 point location)) near4 ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part)))) and ((test$4 monitor$4 meter$4 sens$4 evaluat$4 check$4 asses$4) near4 (rod cylind$5 cigarette cigaret tobacco) near4 ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand))).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 14:16
-	186	((((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand)) near6 ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part)))) same ((measur$4 determin$4 detect$4 sens$4 monitor$4 asses$4 estimat$4 meter$4) near4 (position mov$4 displace$5 point location)) near4 ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part)))) and ((test$4 monitor$4 meter$4 sens$4 evaluat$4 check$4 asses$4) near4 (rod cylind$5 cigarette cigaret tobacco) near4 ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand))).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 14:17
-	352	(((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand)) same ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part)))) and ((measur$4 determin$4 detect$4 sens$4 monitor$4 asses$4 estimat$4 meter$4) near4 (position mov$4 displace$5 point location)) same ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part))) and ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand) near4 (deflect$4 bend$4 fold$4 flex$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 14:21

C:\APPS\EAST\Workspaces\process and apparatus for checking rod like.wsp

-	257	(((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand)) same ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part)))) same ((measur$4 determin$4 detect$4 sens$4 monitor$4 asses$4 estimat$4 meter$4) near4 (position mov$4 displace$5 point location)) same ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part))) and ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand) near4 (deflect$4 bend$4 fold$4 flex$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 14:31
-	1	(((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand)) same ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part)))) same ((measur$4 determin$4 detect$4 sens$4 monitor$4 asses$4 estimat$4 meter$4) near4 (position mov$4 displace$5 point location)) same ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part))) and ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand) near4 (deflect$4 bend$4 fold$4 flex$5) near4 cigaret$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 14:35
-	16255	((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand)) same ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 cigaret$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 14:55
-	487	(((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand)) same ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 cigaret$4))) and ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand) near4 (deflect$4 bend$4 fold$4 flex$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 14:51
-	22	(((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand)) same ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 cigaret$4))) and ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand) near4 (deflect$4 bend$4 fold$4 flex$5) near6 signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 14:52
-	22	((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand)) same ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 cigaret$4)) and ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand) near4 (deflect$4 bend$4 fold$4 flex$5) near6 signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 14:56
-	22	((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand)) same ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4)) near4 cigaret$4) and ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand) near4 (deflect$4 bend$4 fold$4 flex$5) near6 signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 14:57
-	100127	((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand) near6 (transducer sensor)) and ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand) near4 (deflect$4 bend$4 fold$4 flex$5) near6 signal) ((test$4 monitor$4 meter$4 sens$4 evaluat$4 check$4 asses$4) near4 (rod cylind$5 cigarette cigaret tobacco))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 15:13
-	5	((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand) near6 (transducer sensor)) and ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand) near4 (deflect$4 bend$4 fold$4 flex$5) near6 signal) and ((test$4 monitor$4 meter$4 sens$4 evaluat$4 check$4 asses$4) near4 (rod cylind$5 cigarette cigaret tobacco))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 15:33
-	3	((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand) near6 (transducer sensor)) same ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand) near4 (deflect$4 bend$4 fold$4 flex$5) near6 signal) same ((test$4 monitor$4 meter$4 sens$4 evaluat$4 check$4 asses$4) near4 (rod cylind$5 cigarette cigaret tobacco))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 15:14
-	95	((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand) near6 (transducer sensor)) and ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand) near4 (deflect$4 bend$4 fold$4 flex$5)) and ((test$4 monitor$4 meter$4 sens$4 evaluat$4 check$4 asses$4) near4 (rod cylind$5 cigarette cigaret tobacco))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 15:37

C:\APPS\EAST\Workspaces\process and apparatus for checking rod like.wsp

-		1	((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand) near6 (transducer sensor)) and ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand) near4 (deflect$4 bend$4 fold$4 flex$5)) and ((test$4 monitor$4 meter$4 sens$4 evaluat$4 check$4 asses$4) near4 (cigarette cigaret tobacco))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 15:39
-		1	((push$4 displac$5 mov$5 load$4 forc$4 pressur$4) near4 (rod bar stick billet scepter wand) near6 (transducer sensor)) and ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand) near4 (deflect$4 bend$4 fold$4 flex$5)) and ((test$4 monitor$4 meter$4 sens$4 evaluat$4 check$4 asses$4) near4 (cigarette cigaret tobacco))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 15:48
-		4	4733673.URPN.	USPAT	2004/10/28 15:46
-		24	((push$4 displac$5 mov$5 load$4 forc$4 pressur$4) near4 (rod bar stick billet scepter wand) near6 (transducer sensor)) and ((test$4 monitor$4 meter$4 sens$4 evaluat$4 check$4 asses$4) near4 (cigarette cigaret tobacco))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 16:51

C:\APPS\EAST\Workspaces\process and apparatus for checking rod like.wsp